

(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: 1/4

## FIXED WINDOW DETAILS WITH 450-T INSERTS (CASEMENT/AWNING WITH ROTO OPERATOR SHOWN)


1  
NAIL-FIN HEAD  
W/CSMNT/AWNG  
INSERT

EXTERIOR


2  
BLOCK SILL  
W/CSMNT/AWNG  
INSERT



3  
HORIZONTAL TDL  
WITH FIXED OVER  
CSMNT/AWNG INSERT




4  
NAIL-FIN JAMB WITH  
CASEMENT INSERT




EXTERIOR


5  
BLOCK JAMB WITH  
AWNING INSERT



EXTERIOR




OO WITH  
CASEMENT INSERT



OO/OO WITH  
AWNING INSERT


-GLASS PENETRATION: 4800-T = 9/16"; 450-T = 1/2"  
-EXTERIOR RATED PRODUCTS HAVE WEEP SLOTS ON HORIZONTAL SILLS.



(USE RULER TO SCALE DIMENSIONS IN INCHES)

**SCALE: 3:4**

**FIXED WINDOW DETAILS  
WITH 450-T INSERT**




1  
NAIL-FIN HEAD WITH  
CSMNT/AWNG INSERT

EXTERIOR

1-1/4" I.G.

2  
BLOCK SILL WITH  
CSMNT/AWNG INSERT




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 3:4

FIXED WINDOW DETAILS  
WITH 450-T INSERT

3

HORIZONTAL TDL  
WITH FIXED OVER  
CSMNT/AWNG INSERT




0 0.5 1  
(USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: 1:1**

**FIXED WINDOW DETAILS  
WITH 450-T INSERT**

4

**NAIL-FIN JAMB WITH  
CASEMENT INSERT**




0 0.5 1  
(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 1:1

FIXED WINDOW DETAILS  
WITH 450-T INSERT

5

BLOCK JAMB WITH  
AWNING INSERT



EXTERIOR